GOLDFENCE

ALUMINUM FENCING SYSTEMS



"like wood"

Outdoor Systems


AluGarden®

Product Catalogue / 2026


GOLDFENCE
ALUMINUM FENCING SYSTEMS







Elegant Security for Modern Spaces

GoldFence wood-effect aluminum fences bring prestige and refinement to your outdoor spaces. Designed with realistic wood textures and clean architectural lines, they combine the timeless warmth of wood with the enduring strength of aluminum.

Built to resist rust, rot, and wear, ***GoldFence*** maintains its beauty for years without the need for maintenance or repainting. Its practical, easy-to-install system delivers both elegance and safety, the perfect balance for homes, gardens, and commercial environments.

Outdoor Systems
AluGarden®









Aluminum Strength Wood's Natural Warmth

Natural Appearance: Realistic wood-grain finishes create a warm and sophisticated aesthetic suitable for any architectural style.


Durable Structure: Completely resistant to rust, rot, and UV damage, ensuring long-term performance in all weather conditions.Low Maintenance
No need for painting or varnishing. Unaffected by moisture and weather conditions.

Low Maintenance:No painting, varnishing, or chemical treatments required, ***GoldFence*** preserves its elegant look effortlessly.

Easy Installation:The modular system allows for fast, precise, and practical installation on any terrain.

Eco-Friendly:Made entirely from recyclable aluminum, ***GoldFence*** unites sustainability with strength for a responsible and lasting solution.









GOLDFENCE
ALUMINIUM FENCING SYSTEMS












Long-lasting Protection

AAMA 2604 Super Durable Sublamation Base Coatings

GoldFence is coated with a unique AAMA 2604 (Class 2) electrostatic primer at the Alcas Surface Treatment Facility, our in-house, state-of-the-art painting line.

This premium primer is applied using premium Akzo Nobel and Jotun coatings, fully compliant with Qualicoat standards, providing a flawless base for the wood profiles.

Backed by a 10-year warranty, the coating ensures enduring protection against sunlight, rain, snow, and wind, keeping your fence looking beautiful for years.





Wood Grain Effect Color Chart



PLEASE NOTE: Do not use the color representations on your monitor or any print out for final selection. Actual color and texture selection should be made from a sample produced by the applicator using the same tools, techniques and materials proposed for the actual project.

Wood Grain Effect Colors

GoldFence profiles are finished with a high-quality wood-effect film applied over the durable AAMA 2604 (Class 2) base coating at our in-house Alcas Surface Treatment Facility.

Using premium Italian-made film rolls engineered to withstand all climate conditions, this process ensures lasting beauty and durability, backed by a 10-year warranty.

Explore our full range of wood-grain patterns and color options via the link below.

www.alugarden.us/sublimation/





3.94" Serrated Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 01	8706	0.929	0.624

3.94" × 0.63" × 222.44" / 100 x 16 x 5650 mm



5.91" Serrated Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 02	8707	1.486	0.999

5.91" × 0.63" × 222.44" / 150 x 16 x 5650 mm



3.94" Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 03	1476	0.939	0.631

3.94" × 0.63" × 222.44" / 100 x 16 x 5650 mm



5.91" Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 04	1477	1,485	0.998

5.91" × 0.63" × 222.44" / 150 x 16 x 5650 mm



5.91" Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 05	8708	1.291	0.867

5.91" × 0.63" × 222.44" / 150 x 16 x 5650 mm



3.94" Angled Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 06	8656	0.838	0.563

3.94" × 0.63" × 222.44" / 100 x 16 x 5650 mm



1.50" Angled Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 07	6933	0.337	0.226


1.50" × 0.63" × 222.44" / 38 x 16 x 5650 mm



2.56" Angled Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 08	6934	0.521	0.350

2.56" × 0.63" × 222.44" / 65 x 16 x 5650 mm



2.36x2.36" Twin Upright Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 09	8655	2.001	1.345

2.36" × 2.36" × 222.44" / 60 x 60 x 5650 mm



2.36x1.69" Single Post Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 10	8654	1.670	1.122

2.36" x 1.69" x 222.44" / 60 x 43 x 5650 mm



2.36x2.36" Corner Post Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 11	8657	1.988	1.336

2.36" × 2.36" × 222.44" / 60 x 60 x 5650 mm



U Channel with LED Cover

System Code	Profile No	Weight kg	lb/ft
Goldfence 12	9016	0.702	0.472

1.33" × 1.30" × 222.44" / 33,8 x 33 x 5650 mm



2.36x2.36" Door Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 13	8767	1.674	1.125

2.36" × 2.36" × 222.44" / 60 x 60 x 5650 mm



2.36x0.94" Edge Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 14	8705	0.912	0.612

2.36" × 0.94" × 222.44" / 60 x 24 x 5650 mm



2.36x2.36" Door Frame Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 15	1479	1.954	1.313


2.36" × 2.36" × 222.44" / 60 x 60 x 5650 mm



Cover Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 16	1475	0.110	0.074

0.78" × 0.24" × 222.44" /19,7 x 6 x 5650 mm



Corner Block

System Code	Profile No	Weight kg	lb/ft
Goldfence 17	1478	2.779	1.867

3.15" × 3.15" / 80 x 80 mm



2.36x2.36" Door Frame Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 18	3246	1.320	0.887

2.36" × 2.36" × 222.44" / 60 x 60 x 5650 mm



3x3" One Way Post

System Code	Profile No	Weight kg	lb/ft
Goldfence 19	8899	2.137	1.440

3" × 3" × 222.44" / 76.2 x 76.2 x 5650 mm



3x3" Two Way Post

System Code	Profile No	Weight kg	lb/ft
Goldfence 20	8897	2.350	1.579

3" × 3" × 222.44" / 76.2 x 76.2 x 5650 mm



3x3" Two Way Corner Post

System Code	Profile No	Weight kg	lb/ft
Goldfence 21	8898	2.340	1.572

3." × 3" × 222.44" / 76.2 x 76.2 x 5650 mm



3x0.96" Edge Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 22	8900	0.975	0.655

3" × 0.96" × 222.44" / 76.2 x 24.5 x 5650 mm



4" Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 23	8893	0.982	0.660

4" x 0.63" × 222.44" / 65 x 16 x 5650 mm



6" Panel Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 24	8894	1.547	1.040

6" x 0.63" x 222.44" / 152,4 x 16 x 5650mm



6" Panel Profile (2 gaps)

System Code	Profile No	Weight kg	lb/ft
Goldfence 25	8895	1.782	1.197

6" x 0.63" x 222.44" / 152.4 x 16 x 5650 mm



6" Panel Profile (4 gaps)

System Code	Profile No	Weight kg	lb/ft
Goldfence 26	8896	1.910	1.283

6" x 0.63" x 222.44" / 152.4 x 16 x 5650 mm



Plank System Starter Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 28	8901	0.317	0.213

0.913" x 0.63" x 222.44" / 23.2 x 16 x 5650 mm



LED Cover Profile

System Code	Profile No	Weight kg	lb/ft
Goldfence 29	8429	0.112	0.075

0.86" x 0.26" x 222.44" / 21,8 x 6.6 x 5650 mm





Plank System Finishing Profile


System Code	Profile No	Weight kg	lb/ft
Goldfence 30	8902	0.243	0.238


0,30" × 0.63" × 222.44" / 7.5 x 16 x 5650 mm






60
[2,362]
GOLDFENCE 09
GOLDFENCE 06
GOLDFENCE 06
GOLDFENCE 06
GOLDFENCE 06
Concrete Ground



Appearance
Section
610
610
Ground
Plan



Silikon
Silicone



Door Lock Detail
GOLDFENCE 15
GOLDFENCE 18
GOLDFENCE 17
Gravity Latch



GOLDFENCE 14
24
[0,945]



GOLDFENCE 09
60
[2,362]



GOLDFENCE 10
43
[1,693]



100*100 Steel



GOLDFENCE 18
GOLDFENCE 17
GOLDFENCE 15
Adjustable Hinge



Door Hinge Detail
GOLDFENCE 13
GOLDFENCE 15
GOLDFENCE 17



Steel Post
100*100



GOLDFENCE 11


Door Detail
GOLDFENCE 12
GOLDFENCE 12
GOLDFENCE 14
GOLDFENCE 12
GOLDFENCE 12



3D Installation
GOLDFENCE 10
GOLDFENCE 10
Ground Door Mounting Detail
Appearance
Section
GOLDFENCE 15
GOLDFENCE 13
610
Ground
Plan



GOLDFENCE 17
GOLDFENCE 17
C
D
A
B
DOOR PANEL
CORNER JOINT DETAILS
GOLDFENCE 17
GOLDFENCE 17


3D Installation



Door Corner Joint Detail
GOLDFENCE 17
GOLDFENCE 15
GOLDFENCE 17
GOLDFENCE 15
GOLDFENCE 15
GOLDFENCE 15
GOLDFENCE 17
GOLDFENCE 17

Horizontal GoldFence Assembly Drawing


















Vertical GoldFence Assembly Drawing



GoldFence Accessory

Code	Accessory	Name
Accessory Code 08-1005 Profile Used 8654		One Way Post Endcap Right
Accessory Code 08-1010 Profile Used 8654		One Way Post Endcap Left
Accessory Code 08-1015 Profile Used 8655		Two Way Post Endcap
Accessory Code 08-1020 Profile Used 8657		Corner Post Endcap
Accessory Code 08-1025 Profile Used 8705		Edge Profile Endcap
Accessory Code 08-1055 Profile Used 8655 8657		Mid Base Plate
Accessory Code 08-1065 Profile Used 8767 3246 1479		Adjustable Hinge
Accessory Code 08-1075 Profile Used 1479		Door Floor Plate

Code	Accessory	Name
Accessory Code 08-1030		100x100 Steel Post Endcap
Accessory Code 08-1035 Profile Used 3246		60x60 Post Endcap
Accessory Code 08-1040 Profile Used 1479		60x60 Post Endcap
Accessory Code 08-1045 Profile Used 8655 8657		Square Post Base Cover
Accessory Code 08-1050 Profile Used 8654		Rect. Post Base Cover
Accessory Code 08-1060 Profile Used 8654		Edge Base Plate
Accessory Code 08-1070 Profile Used 8767 3246 1479		Gravity Latch
Accessory Code AKB 1478-53.6 Profile Used 8767		Corner Wedge

GOLDFENCE
ALUMINUM FENCING SYSTEMS

Easy and Fast Installation





GoldFence combines the warm, natural look of wood with the long-lasting durability of aluminum. Its modern design adds style and security to any garden, while the maintenance-free structure preserves its beauty for years.

Thanks to its modular design, installation is quick and effortless, no extra labor or special tools required. Standard 222.44" (5650 mm) profiles and compatible accessories can be easily cut and assembled to fit your measurements, saving both time and cost.

With a wide range of color options,***GoldFence*** adapts seamlessly to any landscape or architectural concept. Its rust-proof, rot-proof, and UV-resistant structure ensures reliable protection and lasting performance.

For those seeking a solution that is both decorative and functional, ***GoldFence*** is the ideal garden fence system.





Since 1992

GOLDFENCE
ALUMINUM FENCING SYSTEMS



Outdoor Systems
AluGarden®

"like wood"

5345 Oakbrook Pkwy Norcross GA 30004 / UNITED STATES
+1 678 697 64 99
@alugardenus @alugarden www.alugarden.us
sales@alugarden.us
Velimeşe Organize Sanayi 129. Sk.11/1 Tekirdağ / TÜRKİYE
+90 282 674 5175

Since 1992

© Copyright : All illustrations contained in this catalog are the exclusive property of Alugarden A.Ş and are subject to change without prior notice. Any reproduction, imitation, or unauthorized use is strictly prohibited. **2026**